

Large Poppins Bag Supply List:

Aunties Two Patterns – Poppins Bag (18" wide x 12" deep x 14" tall)

Bosal (double-sided fusible) 36"x58" is the exact amount. Suggest having additional on hand.

Focus Fabric for outside of bag body and pockets = 1 yard

Fabric B for inside of bag body and pockets = 1 yard

Inside pocket lining, Bottom, Handles = 1 yard

Fabric C for binding, sashing, zipper bows and tabs = ½ yard

Review the pattern for additional fabric needs for diagonal fabrics.

Total of 3 ½ yards of fabric for the project. Recommend you have a little more of each fabric as you may want to change your mind on the sashing or binding, etc.

30" Double-sided zipper (Annie's) – opens on both sides.

Pelon 82 interfacing for pockets (or midweight at least 1 sided fusible interfacing) This is to give body to your pockets.

2 @ 10 ½ "wide x 10" tall

2 @ 10 ½ "wide x 11" tall

2 – Bosal's CRAFT-TEX Plus precut bottoms. Pattern suggests Pelon 72 F as an option. It needs to be double sided fusible and HEAVY weight.

2 – Stays (these may be purchased with the pattern or without)

90/14 needles

8-10 purse feet – optional

Pattern states ¼" plumbing tubing (for handles). I suggest one size larger. The ¼" sags. (Can be found at local hardware store, Home Depot, Lowes, etc.)

Matching Cotton Thread

- Piecing thread, you will be line quilting with your piecing thread so you can use the same color, a bold/pop color, mute, or variegated color.
- 12 weight thread matching Fabric C for hand sewing the bottom to the bag (match the binding color you select for the bottom) I found 12 weight cotton difficult to find locally. Embroidery thread may work well.

Large Poppins Bag

- The materials supply list and tools are on the back of the pattern. Reminder to bring thread, either same as your fabric OR something that gives your bag that little extra. And you need 12 wt thread for sewing the bottom to the bag or you can use embroidery thread, just needs to be strong. A color that truly matches the fabric you will be using for the bottom binding works the best visually.
- You will need a 30" handbag zipper (Annie's) with double sides preferably.
- If you would like purse feet, the shop may carry them. I recommend a minimum of 8 up to 10 feet as it is a large area to cover, and you do not want the bottom to become dirty. Once you have finished your bag, take it outside and spray with Scotchguard to help protect it.
- Highly recommend purchasing and using pre-cut bottoms. The shop may carry the CRAF-TEX double-sided fusible PLUS Bosal. I have been finding that they are being manufactured flimsy lately. I suggest having another "heavy" piece of stabilizer to fuse to the bottom piece. The shop may carry stabilizers.
- If fussy cutting or using directional fabric you will need additional fabric. On page "0" (page on back of the front page) you will see information for Horizontal print fabrics to help with fabric needs.
- My suggestion for the ¼" plumbing tubing (5' available at local hardware Home Depot, Lowes, etc.) for the handles is to use the next larger diameter. The ¼" sages.

If you wish to do the bag from 2 ½ strips, please have your fabric pre-sewn. We will not be covering instructions on this technique.

Supplies to bring with you:

Pelon #82 for your pockets to give them a little stiffness or you can use something else you are familiar with. The shop carries stabilizers. Cut 2 pieces 10 ½ wide x 10" tall. Also cut 2 pieces 10 ½ x 11' tall.

Sewing machine

Walking foot

Iron and dryer sheets to clean iron

Large and small scissors

60 mm rotary cutter with fresh blade

Acrylic rulers

Rulers

Pressing sheet or parchment paper or Teflon sheet for keeping fusible (Bosal) interfacing off the iron and ironing board

Rotary Mat

Sewing machine needles 90/14

Removable marker or chalk

Pins, Wonder Clips

Cutting mat

Seam ripper

Fastturn to turn handles

BE SURE TO LABEL YOUR PIECES... It will help tremendously when assembling.

Precut the double-sided Basal'R'Form Plus (36" x 58" piece) I suggest having a little extra on hand in case you run into some bonding you do not care for. See page 2 or diagram below on how to cut the **Bosal**.


BOSAL'S IN-R-FORM PLUS (36" x 58")

BAG BODY Center front and back: cut 4 rectangles 18" x 11" (blue)

Side front and back: cut 8 rectangles 18" x 8" (pink)

If using 2 1/2" strips for the BAG BODY, see page 15.

HANDLES Cut 2 strips 2" x 27" (green)



Cut the "green Handle strips 2" x 28" instead of 27. The extra inch helps to increase the space between the handle and the bag thus giving you a little more shoulder room. It is just a suggestion and not necessary. Totally a personal preference.

Cut Bosal for 2 zipper tabs 1 1/2" x 5" not as the book indicates.

Pelon #82 for your pockets to give them a little stiffness or you can use something else you are familiar with. Cut 2 pieces 10 1/2 wide x 10" tall. Also cut 2 pieces 10 1/2 x 11" tall.

Precut your fabric selections following the instructions on Page 1. The key is to cut 2 strips 18" wide x wof; OPEN & TURN each strip so it lays lengthwise then make the sub cuts. Think of the shapes you are cutting for the Bosal, the larger cuts of fabric will be fused on top of the Bosal.

NOTE: HANDLES: Do not cut the fabric strips 2" x 28". Cut 2 pieces 4 1/2" by 28" instead.

Cut fabric for 2 zipper tabs 2 1/4" x 5" not as the book indicates.

FABRIC C (Label all pieces)

BINDING for BAG BODY AND POCKETS, ZIPPER TABS AND BOWS

Cut 4 strips 2 1/2" x wof

Sew three strips together at the short ends to form one long strip. Fold this long strip and the 4th strip in half, lengthwise, wrong sides together and iron.

SIDE SASHING Cut 2 strips 2" x 18" and cut 2 strips 1 1/4" x 18"

Fold the 2" strips in half, lengthwise, wrong sides together and iron.

BOTTOM BINDING Cut 3 strips 1 1/4" x wof

Sew three strips together at the short ends to form one long strip.

Page 1

Cut the bottom binding (4 strips) 1.5" x wof and sew 3 together to form one long binding strip. Do NOT iron these in half like you would if it was quilt binding.

Sew 3 strips of your binding for bag body, pockets. Note: you cut 4 strips. Only sew 3 together. Fold wrong sides together and press, just as you would for quilting.

If you have any questions prior to class, please feel free to give me a call at 713-859-6822.

Thank you, Loretta Gray, Instructor.